

請注意：未寫出計算式者不計分

一、請利用以下某一樣本資料之莖葉圖 (stem and leaf display)，回答以下之問題。

莖	葉	問題
5	14557	
4	016	(1) 標準差 (standard deviation) (5分)
3	234	(2) 這組資料是否有離位點 (outliers) ? (10分)
2	57	(3) 若所有數字乘以 12 後再加 10，則新資料之變異數 (variance) 為何? (5分)
1	0	


二、請說明為何母體變異數 (variance) 之公式為 $\frac{\sum_{i=1}^N (x_i - \mu)^2}{N}$ ，而不是 $\frac{\sum_{i=1}^N (x_i - \mu)}{N}$? (5分)

三、想要比較兩種 EQ 訓練計畫的訓練效果，每一個訓練計畫以不同的 10 個人來衡量，在完成訓練後，所有參加訓練課程的人員都接受一項 EQ 測驗。其成績如下表所示。

人員編號	1	2	3	4	5	6	7	8	9	10	\bar{x}	s^2
計畫 1	30	35	22	41	36	25	28	35	29	40	32.1	39.66
計畫 2	26	28	24	35	31	40	32	29	25	35	30.5	26.06

若以 μ_1 表示計畫 1 之母體平均訓練效果， μ_2 表示計畫 2 之母體平均訓練效果，並假設兩母體均為常態分配，假設 $\sigma_1^2 = \sigma_2^2$ ，請以顯著水準 $\alpha = 0.01$ ，以未標準化之臨界值 (critical values) 方式檢定計畫 1 之訓練效果是否顯著高於計畫 2 (20 分)。請列出虛無假設 (H_0) 與對立假設 (H_1)。 (5分)

$k(d, f)$	$t_{0.10}(k)$	$t_{0.05}(k)$	$t_{0.025}(k)$	$t_{0.010}(k)$	$t_{0.005}(k)$
1	3.078	6.314	13.706	11.821	63.656
2	1.886	2.920	4.303	6.965	9.925
3	1.638	2.353	3.182	4.341	5.841
4	1.533	2.132	2.776	3.747	4.604
5	1.476	2.015	2.571	3.365	4.032
6	1.440	1.943	2.447	3.143	3.707
7	1.415	1.895	2.365	2.998	3.499
8	1.397	1.860	2.306	2.896	3.355
9	1.383	1.833	2.262	2.821	3.250
10	1.372	1.812	2.228	2.764	3.169
11	1.363	1.796	2.201	2.718	3.106
12	1.356	1.782	2.179	2.681	3.055
13	1.350	1.771	2.160	2.650	3.012
14	1.345	1.761	2.145	2.624	2.977
15	1.341	1.753	2.131	2.602	2.947
16	1.337	1.746	2.120	2.581	2.921
17	1.333	1.740	2.110	2.567	2.898
18	1.330	1.734	2.101	2.552	2.878
19	1.328	1.729	2.093	2.539	2.861
20	1.325	1.725	2.086	2.528	2.845
21	1.323	1.721	2.080	2.518	2.831
22	1.321	1.717	2.074	2.508	2.819
23	1.319	1.714	2.069	2.500	2.807
24	1.318	1.711	2.064	2.492	2.797
25	1.316	1.708	2.060	2.485	2.787
26	1.315	1.706	2.056	2.479	2.779
27	1.314	1.703	2.052	2.473	2.771
28	1.313	1.701	2.048	2.467	2.763
29	1.311	1.699	2.045	2.462	2.756
30	1.312	1.695	1.960	2.442	2.736



14. Use the 0.05 level of significance for the following tests.

7% 1. Two hundred and ten people were asked which TV news programs they usually watch. The answers are compiled as follows:

Network A	80
Network B	70
Network C	60

Can you say that the three networks have audiences of about the same size?

21% 2. A study by the Port Authority on the effects of train ticket prices on the number of passengers produced the following results:

Ticket Price	\$6.00	\$6.50	\$7.00	\$7.50	\$8.00	\$8.50
Passengers (Hundred/Hour)	5	4.5	4	3.5	3	2.5

6% (1) Assuming a linear relationship, use the method of least squares to estimate the slope and intercept.

3% (2) Predict the number of passengers that will be if the ticket price is \$9.00.

6% (3) Is there evidence of a linear relationship between the train ticket price and the number of passengers?

6% (4) Determine the coefficient of determination, r^2 and interpret its meaning.

15% 3. Suppose a recycling center gathers information about the composition of discarded waste trucked to its recycling sites. The information is used to plan for the type of recycling equipment it must buy. More weight requires more recycling equipment. Here is a summarized data matrix (values in " tons of waste.")


Metal	Paper	Glass
$n=21$	$n=21$	$n=21$
$\bar{x}_1=2.2$	$\bar{x}_2=9.4$	$\bar{x}_3=3.7$
$S_1=1.1$	$S_2=1.1$	$S_3=3.0$

3% (1) "Eyeball" the summarized data matrix above. State your suspicion about what category of waste, if any may require more recycling equipment than other categories.

6% (2) Is there sufficient evidence to conclude that a differences exists in the mean weight of waste.


6% (3) Test that there is differences in the mean weight of waste by using the p-value method.

7% 4. A sample of 100 checking account balances is found to be \$104.51 with a standard deviation of 28.71. The bank hypothesizes that the average checking account balance is \$100. Find the probability of a Type II error for the upper-tailed hypothesis test if in fact the mean checking account balance is \$105. Assume the population standard deviation is \$28.7.



d.f.	0.10	0.05	0.025	0.01	0.005
1	3.078	6.314	12.706	31.821	63.657
2	1.886	2.920	4.303	6.965	9.925
3	1.638	2.353	3.182	5.541	5.641
4	1.533	2.132	2.776	3.747	4.604
5	1.476	2.015	2.571	3.365	4.032
6	1.440	1.943	2.447	3.143	3.707
7	1.415	1.895	2.365	2.998	3.499
8	1.397	1.860	2.306	2.896	3.355
9	1.383	1.833	2.262	2.821	3.250
10	1.372	1.812	2.228	2.764	3.169
11	1.363	1.796	2.201	2.718	3.106
12	1.356	1.782	2.179	2.681	3.055
13	1.350	1.771	2.160	2.650	3.012
14	1.345	1.761	2.145	2.624	2.977
15	1.341	1.753	2.131	2.602	2.947
16	1.337	1.746	2.120	2.583	2.921
17	1.333	1.740	2.110	2.567	2.898
18	1.330	1.734	2.101	2.552	2.878
19	1.328	1.729	2.093	2.539	2.861
20	1.325	1.725	2.086	2.528	2.845
21	1.323	1.721	2.080	2.518	2.831
22	1.321	1.717	2.074	2.508	2.819
23	1.319	1.714	2.069	2.500	2.807
24	1.318	1.711	2.064	2.492	2.797
25	1.316	1.708	2.060	2.485	2.787
26	1.315	1.706	2.056	2.479	2.779
27	1.314	1.703	2.052	2.473	2.771
28	1.313	1.701	2.048	2.467	2.763
29	1.311	1.699	2.045	2.462	2.756
30	1.310	1.697	2.042	2.457	2.750
31	1.309	1.696	2.040	2.453	2.744
32	1.309	1.694	2.037	2.449	2.738
33	1.308	1.692	2.035	2.445	2.733
34	1.307	1.691	2.032	2.441	2.728
35	1.306	1.690	2.030	2.438	2.724
36	1.306	1.688	2.028	2.435	2.719
37	1.305	1.687	2.026	2.431	2.715
38	1.304	1.686	2.024	2.429	2.712
39	1.304	1.685	2.023	2.426	2.708
40	1.303	1.684	2.021	2.423	2.704
41	1.303	1.683	2.020	2.421	2.701
42	1.302	1.682	2.018	2.418	2.698
43	1.302	1.681	2.017	2.416	2.695
44	1.301	1.680	2.015	2.414	2.692
45	1.301	1.679	2.014	2.412	2.690

t Table




z	.00	.01	.02	.03	.04	.05	.06	.07	.08
0.0	.0000	.0040	.0080	.0120	.0160	.0199	.0239	.0279	.0319
0.1	.0398	.0438	.0478	.0517	.0557	.0596	.0636	.0675	.0714
0.2	.0793	.0832	.0871	.0910	.0948	.0987	.1026	.1064	.1103
0.3	.1179	.1217	.1255	.1293	.1331	.1368	.1406	.1443	.1480
0.4	.1554	.1591	.1628	.1664	.1700	.1736	.1772	.1808	.1844
0.5	.1915	.1950	.1985	.2019	.2054	.2088	.2123	.2157	.2190
0.6	.2257	.2291	.2324	.2357	.2389	.2422	.2454	.2486	.2517
0.7	.2580	.2611	.2642	.2673	.2704	.2734	.2764	.2794	.2823
0.8	.2881	.2910	.2939	.2967	.2995	.3023	.3051	.3078	.3106
0.9	.3159	.3186	.3212	.3238	.3264	.3289	.3315	.3340	.3365
1.0	.3413	.3438	.3461	.3485	.3508	.3531	.3554	.3577	.3599
1.1	.3643	.3665	.3686	.3708	.3729	.3749	.3770	.3790	.3810
1.2	.3849	.3869	.3888	.3907	.3925	.3944	.3962	.3980	.3997
1.3	.4032	.4049	.4066	.4082	.4099	.4115	.4131	.4147	.4162
1.4	.4192	.4207	.4222	.4236	.4251	.4265	.4279	.4292	.4306
1.5	.4332	.4345	.4357	.4370	.4382	.4394	.4406	.4418	.4429
1.6	.4452	.4463	.4474	.4484	.4495	.4505	.4515	.4525	.4535
1.7	.4554	.4564	.4573	.4582	.4591	.4599	.4608	.4616	.4625
1.8	.4641	.4649	.4656	.4664	.4671	.4678	.4686	.4693	.4699
1.9	.4713	.4719	.4726	.4732	.4738	.4744	.4750	.4756	.4761
2.0	.4772	.4778	.4783	.4788	.4793	.4798	.4803	.4808	.4812
2.1	.4827	.4832	.4838	.4843	.4848	.4852	.4856	.4860	.4864
2.2	.4868	.4871	.4874	.4877	.4879	.4881	.4884	.4887	.4889
2.3	.4893	.4895	.4896	.4898	.4899	.4900	.4901	.4902	.4903
2.4	.4904	.4905	.4905	.4906	.4906	.4907	.4907	.4908	.4908
2.5	.4908	.4909	.4909	.4909	.4909	.4909	.4909	.4909	.4909
2.6	.4909	.4909	.4909	.4909	.4909	.4909	.4909	.4909	.4909
2.7	.4909	.4909	.4909	.4909	.4909	.4909	.4909	.4909	.4909
2.8	.4909	.4909	.4909	.4909	.4909	.4909	.4909	.4909	.4909
2.9	.4909	.4909	.4909	.4909	.4909	.4909	.4909	.4909	.4909
3.0	.4909	.4909	.4909	.4909	.4909	.4909	.4909	.4909	.4909

Z Table


TABLE

Critical Values of F

 $v_1 = df, \text{ numerator}$

$v_2 = df,$ denominator	1	2	3	4	5	6	7	8	9	10	12	15	20	24	30	40	60	120	∞
1	161.4	199.5	215.7	224.6	230.2	234.0	236.8	238.9	240.5	241.9	243.9	245.9	248.0	249.1	250.1	251.1	252.2	253.3	254.1
2	18.51	19.00	19.16	19.25	19.30	19.33	19.35	19.37	19.38	19.40	19.41	19.43	19.45	19.45	19.46	19.47	19.48	19.49	19.50
3	10.13	9.55	9.28	9.12	9.01	8.94	8.89	8.85	8.81	8.79	8.74	8.70	8.66	8.64	8.62	8.59	8.57	8.55	8.51
4	7.71	6.94	6.59	6.39	6.26	6.16	6.09	6.04	6.00	5.96	5.91	5.86	5.80	5.77	5.75	5.72	5.69	5.66	5.63
5	6.61	5.79	5.41	5.19	5.05	4.95	4.88	4.82	4.77	4.74	4.68	4.62	4.56	4.53	4.50	4.46	4.43	4.40	4.36
6	5.99	5.14	4.76	4.53	4.39	4.28	4.21	4.15	4.10	4.06	4.00	3.94	3.87	3.84	3.81	3.77	3.74	3.70	3.67
7	5.59	4.74	4.35	4.12	3.97	3.87	3.79	3.73	3.68	3.64	3.57	3.51	3.44	3.41	3.38	3.34	3.30	3.27	3.23
8	5.32	4.46	4.07	3.84	3.69	3.58	3.50	3.44	3.39	3.35	3.28	3.22	3.15	3.12	3.08	3.04	3.01	2.97	2.91
9	5.12	4.26	3.86	3.63	3.48	3.37	3.29	3.23	3.18	3.14	3.07	3.01	2.94	2.90	2.86	2.83	2.79	2.75	2.71
10	4.96	4.10	3.71	3.48	3.33	3.22	3.14	3.07	3.02	2.98	2.91	2.85	2.77	2.74	2.70	2.66	2.62	2.58	2.54
11	4.84	3.98	3.59	3.36	3.20	3.09	3.01	2.95	2.90	2.85	2.79	2.72	2.65	2.61	2.57	2.53	2.49	2.45	2.40
12	4.75	3.89	3.49	3.26	3.11	3.00	2.91	2.85	2.80	2.75	2.69	2.62	2.54	2.51	2.47	2.43	2.38	2.34	2.30
13	4.67	3.81	3.41	3.18	3.03	2.92	2.83	2.77	2.71	2.67	2.60	2.53	2.46	2.42	2.38	2.34	2.30	2.25	2.21
14	4.60	3.74	3.34	3.11	2.96	2.85	2.76	2.70	2.65	2.60	2.53	2.46	2.39	2.35	2.31	2.27	2.22	2.18	2.13
15	4.54	3.68	3.29	3.06	2.90	2.79	2.71	2.64	2.59	2.54	2.48	2.40	2.33	2.29	2.25	2.20	2.16	2.11	2.07
16	4.49	3.63	3.24	3.01	2.85	2.74	2.66	2.59	2.54	2.49	2.42	2.35	2.28	2.24	2.19	2.15	2.11	2.06	2.01
17	4.45	3.59	3.20	2.96	2.81	2.70	2.61	2.55	2.49	2.45	2.38	2.31	2.23	2.19	2.15	2.10	2.06	2.01	1.96
18	4.41	3.55	3.16	2.93	2.77	2.66	2.58	2.51	2.46	2.41	2.34	2.27	2.19	2.15	2.11	2.06	2.02	1.97	1.92
19	4.38	3.52	3.13	2.90	2.74	2.63	2.54	2.48	2.42	2.38	2.31	2.23	2.16	2.11	2.07	2.03	1.98	1.93	1.88
20	4.35	3.49	3.10	2.87	2.71	2.60	2.51	2.45	2.39	2.35	2.28	2.20	2.12	2.08	2.04	1.99	1.95	1.90	1.84
21	4.32	3.47	3.07	2.84	2.68	2.57	2.49	2.42	2.37	2.32	2.25	2.18	2.10	2.05	2.01	1.96	1.92	1.87	1.81
22	4.30	3.44	3.05	2.82	2.66	2.55	2.46	2.40	2.34	2.30	2.23	2.15	2.07	2.03	1.98	1.94	1.89	1.84	1.78
23	4.28	3.42	3.03	2.80	2.64	2.53	2.44	2.37	2.32	2.27	2.20	2.13	2.05	2.01	1.96	1.91	1.86	1.81	1.76
24	4.26	3.40	3.01	2.78	2.62	2.51	2.42	2.36	2.30	2.25	2.18	2.11	2.03	1.98	1.94	1.89	1.84	1.79	1.73
25	4.24	3.39	2.99	2.76	2.60	2.49	2.40	2.34	2.28	2.24	2.16	2.09	2.01	1.96	1.92	1.87	1.82	1.77	1.71
26	4.23	3.37	2.98	2.74	2.59	2.47	2.39	2.32	2.27	2.22	2.15	2.07	1.99	1.95	1.90	1.85	1.80	1.75	1.69
27	4.21	3.35	2.96	2.73	2.57	2.46	2.37	2.31	2.25	2.20	2.13	2.06	1.97	1.93	1.88	1.84	1.79	1.71	1.67
28	4.20	3.34	2.95	2.71	2.56	2.45	2.36	2.29	2.24	2.19	2.12	2.04	1.96	1.91	1.87	1.82	1.77	1.71	1.65
29	4.18	3.33	2.93	2.70	2.55	2.43	2.35	2.28	2.22	2.18	2.10	2.03	1.94	1.90	1.85	1.81	1.75	1.70	1.64
30	4.17	3.32	2.92	2.69	2.53	2.42	2.31	2.27	2.21	2.16	2.09	2.01	1.93	1.89	1.84	1.79	1.74	1.68	1.62
40	4.08	3.23	2.84	2.61	2.45	2.34	2.25	2.18	2.12	2.08	2.00	1.92	1.84	1.79	1.74	1.69	1.64	1.58	1.51
60	4.00	3.15	2.76	2.53	2.37	2.25	2.17	2.10	2.04	1.99	1.92	1.84	1.75	1.70	1.65	1.59	1.53	1.47	1.39
120	3.92	3.07	2.68	2.45	2.29	2.17	2.09	2.02	1.96	1.91	1.83	1.75	1.66	1.61	1.55	1.50	1.43	1.35	1.25
∞	3.84	3.00	2.60	2.37	2.21	2.10	2.01	1.94	1.88	1.83	1.75	1.67	1.57	1.52	1.46	1.39	1.32	1.22	1.00

TABLE

 $v_1 = df, \text{ numerator}$

$v_2 = df,$ denominator	1	2	3	4	5	6	7	8	9	10	12	15	20	24	30	40	60	120	∞
1	647.8	799.5	864.2	899.6	921.8	937.1	948.2	956.7	963.1	968.6	976.7	984.9	993.1	997.2	1001	1006	1010	1014	1018
2	38.51	39.00	39.17	39.25	39.30	39.33	39.36	39.37	39.39	39.40	39.41	39.43	39.45	39.46	39.46	39.47	39.48	39.49	39.50
3	17.44	16.04	15.44	15.10	14.88	14.71	14.62	14.54	14.47	14.42	14.34	14.25	14.17	14.12	14.08	14.04	13.99	13.95	13.90
4	12.22	10.65	9.98	9.60	9.36	9.20	9.07	8.98	8.90	8.84	8.75	8.66	8.56	8.51	8.46	8.41	8.36	8.31	8.26
5	10.01	8.43	7.76	7.39	7.15	6.98	6.85	6.76	6.68	6.62	6.52	6.43	6.33	6.28	6.23	6.18	6.12	6.07	6.02
6	8.81	7.26	6.60	6.23	5.99	5.82	5.70	5.60	5.52	5.46	5.37	5.27	5.17	5.12	5.07	5.01	4.96	4.90	4.85
7	8.07	6.54	5.89	5.52	5.29	5.12	4.99	4.90	4.82	4.76	4.67	4.57	4.47	4.42	4.36	4.31	4.25	4.20	4.14
8	7.57	6.06	5.42	5.05	4.82	4.65	4.53	4.43	4.36	4.30	4.20	4.10	4.00	3.95	3.89	3.84	3.78	3.73	3.67
9	7.21	5.71	5.08	4.72	4.48	4.32	4.20	4.10	4.03	3.96	3.87	3.77	3.67	3.61	3.56	3.51	3.45	3.39	3.33
10	6.94	5.46	4.83	4.47	4.24	4.07	3.95	3.85	3.78	3.72	3.62	3.52	3.42	3.37	3.31	3.26	3.20	3.14	3.08
11	6.72	5.26	4.63	4.28	4.04	3.88	3.76	3.66	3.59	3.53	3.43	3.33	3.23	3.17	3.12	3.06	3.00	2.94	2.88
12	6.55	5.10	4.47	4.12	3.89	3.73	3.61	3.51	3.44	3.37	3.28	3.18	3.07	3.02	2.96	2.91	2.85	2.79	2.72
13	6.41	4.97	4.35	4.00	3.77	3.60	3.48	3.39	3.31	3.25	3.15	3.05	2.95	2.89	2.84	2.78	2.72	2.66	2.60
14	6.30	4.86	4.24	3.89	3.66	3.50	3.38	3.29	3.21	3.15	3.05	2.95	2.84	2.79	2.73	2.67	2.61	2.55	2.49
15	6.20	4.77	4.15	3.80	3.58	3.41	3.29	3.20	3.12	3.06	2.96	2.86	2.76	2.70	2.64	2.59	2.52	2.46	2.40
16	6.12	4.69	4.08	3.73	3.50	3.34	3.22	3.12	3.05	2.99	2.89	2.79	2.68	2.63	2.57	2.51	2.45	2.38	2.32
17	6.04	4.62	4.01	3.66	3.44	3.28	3.16	3.06	2.98	2.92	2.82	2.72	2.62	2.56	2.50	2.44	2.38	2.32	2.25
18	5.98	4.56	3.95	3.61	3.38	3.22	3.10	3.01	2.93	2.87	2.77	2.67	2.56	2.50	2.44	2.38	2.32	2.26	2.19
19	5.92	4.51	3.90	3.56	3.33	3.17	3.05	2.96	2.88	2.82	2.72	2.62	2.51	2.45	2.39	2.33	2.27	2.20	2.13
20	5.87	4.46	3.86	3.51	3.29	3.13	3.01	2.91	2.84	2.77	2.68	2.57	2.46	2.41	2.35	2.29	2.22	2.16	2.09
21	5.81	4.42	3.82	3.48	3.25	3.09	2.97	2.87	2.80	2.71	2.64	2.53	2.42	2.37	2.31	2.25	2.18	2.11	2.04
22	5.79	4.38	3.78	3.44	3.22	3.05	2.93	2.84	2.76	2.70	2.60	2.50	2.39	2.33	2.27	2.21	2.14	2.08	2.00
23	5.75	4.35	3.75	3.41	3.18	3.02	2.90	2.81	2.71	2.67	2.57	2.47	2.36	2.30	2.24	2.18	2.11	2.04	1.97
24	5.72	4.32	3.72	3.38	3.15	2.99	2.87	2.78	2.70	2.64	2.54	2.44	2.33	2.27	2.21	2.15	2.08	2.01	1.94
25	5.69	4.29	3.69	3.35	3.13	2.97	2.85	2.75	2.68	2.61	2.51	2.41	2.30	2.24	2.18	2.12	2.05	1.98	1.91
26	5.66	4.27	3.67	3.33	3.10	2.94	2.82	2.73	2.65	2.59	2.49	2.39	2.28	2.22	2.16	2.09	2.03	1.95	1.88
27	5.63	4.24	3.65	3.31	3.08	2.92	2.80	2.71	2.63	2.57	2.47	2.36	2.25	2.19	2.13	2.07	2.00	1.93	1.85
28	5.61	4.22	3.61	3.29	3.06	2.90	2.78	2.69	2.61	2.55	2.45	2.34	2.23	2.17	2.11	2.05	1.98	1.91	1.83
29	5.59	4.20	3.61	3.27	3.04	2.88	2.76	2.67	2.59	2.53	2.43	2.32	2.21	2.15	2.09	2.03	1.96		